



Conf C \$

PATENT
50851/RJP/B600

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. : 6,809,667
Issued : October 26, 2004
Inventor(s) : Klaas Bult, et al.
Application No. : 10/688,122
Filed : October 17, 2003
Title : ANALOG TO DIGITAL CONVERTER

Confirmation No. 2020

REQUEST FOR CERTIFICATE OF CORRECTION

Office of Certificates of Correction
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

P. O. Box 7068
Pasadena, CA 91109-7068
July 11, 2005

Commissioner:

Submitted herewith are two copies of a proposed Certificate of Correction for the above-referenced patent. The errors are identified in detail in the proposed certificate, and the corresponding text in the application is located as follows:

Location in Patent

Location in Application

Applicant errors:

On the Title Page

(57) Abstract, line 4

Replacement Abstract filed 02/20/04

In the Claims

Column 16, line 42, Claim 6

Preliminary Amendment filed 02/20/04, pg. 3, Old Claim 7

Column 18, line 8, Claim 17

Preliminary Amendment filed 02/20/04, pg. 5, Old Claim 18

Certificate
JUL 19 2005
of Correction

Applicant(s) errors were unintentional and inadvertent, and were made in good faith through oversight. Correction is accordingly requested under 35 U.S.C. § 255, and our check for the \$100 statutory fee is enclosed. Any deficiency or overpayment should be charged or credited to Deposit Account No. 03-1728. Please show our docket number with any credit or charge to our Deposit Account.

07/14/2005 MAHMED1 00000053 6809667

01 FC:1811

100.00 OP

I hereby certify that this correspondence is being deposited with the
U.S. Postal Service as first class mail in an envelope addressed to:
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-
1450 on

July 11, 2005
(Date of deposit)


JUL 20 2005

U.S. Patent No. 6,809,667

Correction of applicant(s) errors does not constitute new matter or require reexamination.
Approval of this certificate is respectfully requested

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP



By

Richard J. Pacfulan

Reg. No. 28,248

626/795-9900

RJP/clv

Enclosures: Certificate of Correction (2)

Check \$100

CLV PAS629897.1-*06/23/05 11:05 AM

JUL 20 2005